



# 告示1460 柱頭・柱脚 図解 - 1

(い～ほ) N値=1.6 : 8.5kN


GP-95  
8.9kN




HMP-140  
8.9kN




GP-190  
8.8kN



GP-235  
9.9kN




GP-140  
14.5kN




(い・ろ) N値=0.65 : 3.4kN

GP-95 隅角部  
4.7kN




(い～は) N値=1.0 : 5.3kN

GP-95



(に・ほ) N値=1.6 : 8.5kN

GP-95  
8.9kN



# 告示1460 柱頭・柱脚 図解 - 2







(い～へ) N値=1.8:10kN

(と) N値=2.8:15kN


HDP-10  
10.3kN

HMP-260  
10.3kN


HDP-15  
16.1kN




隅角プレート  
GC-9T (9mm)




隅角プレート  
GC-9T (9mm)



隅角プレート  
CS-UH (6mm)




隅角プレート  
CS-UH (6mm)




# 告示1460 柱頭・柱脚 図解 - 3

( ち ) N値=3.7:20kN


HDP-20  
22.2kN



隅角プレート  
GC-9T (9mm)




隅角プレート  
CS-UH (6mm)




( い ~ り ) N値=4.7:25kN

PBC-27・49...梁せいH=180以上  
27.7kN



( り ) N値=4.7:25kN

HDC-15・20  
27.1kN




# 告示1460 柱頭・柱脚 図解 - 4

(ぬ)超え N値=5.6:30kN


HDC-25・30

36.7kN



PBC-27・49...梁せいH=240以上

49.1kN



PBH-63

63.4kN

